



ఆంధ్రప్రదేశ్ రాజ పత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.12

AMARAVATI, WEDNESDAY, MARCH 27, 2019

G.889

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS
AND OTHER OFFICERS**

--X--

NOTIFICATIONS BY GOVERNMENT
ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY
DEPARTMENT
(FOR.I)

SPSR NELLORE DISTRICT & DIVISION - ATMAKUR RANGE - RESERVATION OF
PUNUGODU - PUNUGODU VILLAGE, ANUMASAMUDRAM PETA MANDAL, NELLORE
DISTRICT - COMPENSATORY AFFORESTATION (C.A.) LAND TO AN EXTENT OF
Ac.313.71 CENTS OR 126.95 Ha - UNDER SECTION 4 OF THE ANDHRA PRADESH
FOREST ACT, 1967 AS PUNUGODU FOREST BLOCK.

**[G.O.Ms.No. 66, Environment, Forests, Science & Technology (For.I),
16th May, 2011.]**

NOTIFICATION

In exercise of the powers conferred under Section 4 of the Andhra Pradesh Forest Act, 1967(Andhra Pradesh Act No.I of 1967), the Governor of Andhra Pradesh hereby declares that it is proposed to constitute the following land within the boundaries described here under as 'Reserved Forest' under the said Act and appoints the Forest Settlement Officer SPSR, Nellore to be the Forest Settlement Officer in regard to the said land to consider the objections, if any, and to enquire into and determine the existence, nature and extent of any rights claimed by, or alleged to exist in favour of any person in or over any land comprised in their such limits, or to any Forest Produce of such land to deal with the same as provided in chapter-II of the said Act.

SCHEDULE

Name of the District : SPSR NELLORE
 Name of the Division : SPSR NELLORE
 Name of the Revenue Mandal : ANUMASAMUDRAM PETA
 Name of the Range : ATMAKUR
 Name of the Village : PUNUGODU

 Name of the Forest Block Proposed to be reserved : PUNUGODU

 Area of the Forest Block proposed to be reserved : 313.71 Acrs (or) 126.95 Ha
 (Excluding road area)

Details of Areas including in the proposed Reserved Forest Block

Sl.No.	Survey No.	Present classification	Total Area in Acrs	Area included in the Forest Block (Acrs)
1	1	Cheruvu Poramboke	51.58	51.58
2	286	Cheruvu Poramboke	8.45	8.45
3	287	Kancha Poramboke	10.30	10.30
4	288	Kancha Poramboke	12.26	12.26
5	289-1	Kancha Poramboke	6.12	6.12
6	289-3	Kancha Poramboke	5.14	5.14
7	290-1	Kancha Poramboke	6.31	6.31
8	291	Kancha Poramboke	10.44	10.4
9	292	Kancha Poramboke	8.36	8.36
10	293	Kancha Poramboke	7.50	7.50

Sl.No	Survey No	Present classification	Total Area in Acs	Area included in the Forest Block (Acs)
11	294	Kancha Poramboke	9.46	9.46
12	295	Kancha Poramboke	9.66	9.66
13	296	Kancha Poramboke	6.95	6.95
14	297	Kancha Poramboke	7.09	7.09
15	298	Kancha Poramboke	12.36	12.36
16	299-1	Kancha Poramboke	10.12	10.12
17	300-1	Kancha Poramboke	0.74	0.74
18	300-3	Kancha Poramboke	7.77	7.77
19	301-3	Kancha Poramboke	4.98	4.98
20	301-3	Kancha Poramboke	0.39	0.39
21	302	Kancha Poramboke	9.06	9.06
22	303	Kancha Poramboke	12.9	12.9
23	304-1	Kancha Poramboke	5.98	5.98
24	304-3	Kancha Poramboke	8.69	8.69
25	305-2	Kancha Poramboke	13.46	13.46
26	307	Kancha Poramboke	10.11	10.11

Sl.No	Survey No	Present classification	Total Area in Acre	Area included in the Forest Block (Acre)
27	308	Kancha Poramboke	9.86	9.86
28	309	Kancha Poramboke	14.50	14.50
29	310	Kancha Poramboke	9.75	9.75
30	311	Kancha Poramboke	10.35	10.35
31	312	Kancha Poramboke	12.98	12.98
	Total		313.71	313.71

BOUNDARIES

Station No.1 starts from South – West corner of Sy.No. 231(Ponugodu Cheruvu) and runs as per distances and bearings mentioned below.

Station No		Magnetic bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
NORTH					
1	2	104		1362	Along the Southern side of Sy.No. 231 (Ponugodu cheruvu) of Ponugodu Village
2	3	103	30	1977	
3	4	106	30	977	
4	5	100	30	1546	
5	6	108	30	925	
EAST					
6	7	199	30	340	Along Western side of Sy.No. 201
7	8	139	30	382	Along the Southern side of Sy.NO. 201
8	9	120	30	40	Along the Southern side of Sy.NO. 200

Station No		Magnetic bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
9	10	202		399	Along the Western side of Sy.NO. 199
10	11	203	30	577	Along the Western side of Sy.NO. 198
11	12	264		550	Along the Northern side of Sy.NO. 306
12	13	186	30	826	Along the Western side of Sy.NO. 306
13	14	281	30	299	Along the Northern side of Sy.NO. 306
14	15	182	30	500	Along the Western side of Sy.NO. 306 & 305/1
15	16	91	30	1793	Along the Southern side of Sy.NO. 305/1
16	17	184	30	743	Along the Western side of Sy.NO. 60
SOUTH					
17	18	271	30	470	Along the Northern side of Sy.NO. 20 of Punugodu Village
18	19	194	30	186	
19	20	276	30	183	
20	21	292	30	592	Along the Northern side of Sy.No. 27
21	22	276	30	535	Along the Northern side of Sy.NO. 26
22	23	277	30	1635	Along the Northern side of Sy.NO. 285
23	24	194	30	606	Along the Western side of Sy.NO. 285
24	25	302		849	Along the Northern side of Sy.NO. 20
25	26	215		934	

Station No		Magnetic bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
26	27	283		1114	Northern side of Sy.NO. 11
27	28	16		95	Along the Northern side of Sy.NO. 10
28	29	292		2014	
29	30	9	15	579	Along the Eastern side of Sy.NO. 3
30	31	289		1089	Along the Northern side of Sy.NOs. 3 & 2

WEST					
31	32	349		145	Along the Common boundary of Nabinagaram and Punugodu Villages.
32	3	0	30	625	
33	34	20	30	860	
34	35	25		878	
35	36	25	30	376	
36	37	26		509	
37	1	32	30	848	

REMARKS

Admitted Right of Way/ Right of Water Courses :

1. There are no enclosures to be admitted with in the block.
2. The existing metal road connecting Atmakur – Vinjamur road to Ponugodu village passing through middle of the proposed block which enters the Sy.no.290 South-West corner station no.31 of Ponugodu village an average width of 100 links then runs towards station no.30 then runs through Sy.no.289/2 then runs 300/2, 299/2, 301/2, 304/2 and reaches station no.15 then runs private fields towards northern side of Sy.no.305/2 and reach station no.16 then runs adjacent fields to Ponugodu village is admitted as right of way for the general public.

JANAKI R. KONDAPI,
Special Chief Secretary to Government.

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము 1967 సెక్షను 4 ప్రకారము (చట్టం 1967), ఆంధ్రప్రదేశ్ గవర్నరు గారి అధికారములకు లోబడి సెక్షను 4 ప్రకారము రిజర్వు ఫారెస్టుగా పరిగణించబడుటకు గాను అధ్యాయము-2లో పొందుపరచిన సూచనల మేరకు ఈ అటవీ భూమి యొక్క విస్తీర్ణము, అటవీ స్వభావము మరియు ఈ అటవీ భూమి సరిహద్దు చుట్టూగల గ్రామ ప్రజల వద్ద నుండి భూఆక్రమణలకు సంబంధించి ఏమైనా ఆక్షేపణలు ఉన్నయొడల వాటిని పరిశీలించుటకు, అట్టి పరిధిలోపల ఉన్న ఏమైనా హక్కుల యొక్క అస్తిత్వాన్ని, స్వభావాన్ని విస్తృతించి గురించి విచారించి మరియు పరిష్కరించుటకు గాను శ్రీపొట్టిశ్రీరాములు నెల్లూరు జిల్లా ఫారెస్టు సెటిల్మెంట్ ఆఫీసరు గారిని నియమించడమైనది.

షెడ్యూలు

- | | | |
|--|---|--|
| 1) జిల్లా పేరు | : | శ్రీపొట్టిశ్రీరాములు నెల్లూరు |
| 2) అటవీ డివిజను పేరు | : | శ్రీపొట్టిశ్రీరాములు నెల్లూరు |
| 3) మండలము పేరు | : | అనుమసముద్రంపేట |
| 4) రేంజి పేరు | : | ఆత్మకూరు |
| 5) గ్రామం పేరు | : | పానుగోడు |
| 6) రిజర్వు చేయబడు అటవీ బ్లాకు పేరు | : | పానుగోడు రిజర్వు ఫారెస్టు. |
| 7) రిజర్వు చేయబడు అటవీ బ్లాకు విస్తీర్ణం | : | 313.71ఎ (లేదా) 126.95 హెక్టార్లు (రెవెన్యూ ప్రాంతం మినహాయించి) |

బ్లాకు నందు పొందుపరచబడిన ప్రదేశముల వివరములు

క్రమ సంఖ్య	సర్వే నెం.	ప్రస్తుత వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకునందు పొందుపరచబడిన విస్తీర్ణం (ఎకరాలలో)
1	2	3	4	5
1	1	చెరువు పోరంబోకు	51.58	51.58
2	286	చెరువు పోరంబోకు	8.45	8.45
3	287	కంచె పోరంబోకు	10.30	10.30
4	288	కంచె పోరంబోకు	12.26	12.26
5	289-1	కంచె పోరంబోకు	6.12	6.12
6	289-3	కంచె పోరంబోకు	5.14	5.14
7	290-1	కంచె పోరంబోకు	6.31	6.31

8	291	కంచె పోరంబోకు	10.44	10.44
9	292	కంచె పోరంబోకు	8.36	8.36
10	293	కంచె పోరంబోకు	7.50	7.50
11	294	కంచె పోరంబోకు	9.46	9.46
12	295	కంచె పోరంబోకు	9.66	9.66
13	296	కంచె పోరంబోకు	6.95	6.95
14	297	కంచె పోరంబోకు	7.09	7.09
15	298	కంచె పోరంబోకు	12.36	12.36
16	299-1	కంచె పోరంబోకు	10.12	10.12
17	300-1	కంచె పోరంబోకు	0.74	0.74
18	300-3	కంచె పోరంబోకు	7.77	7.77
19	301-3	కంచె పోరంబోకు	4.98	4.98
20	301-3	కంచె పోరంబోకు	0.39	0.39
21	302	కంచె పోరంబోకు	9.06	9.06
22	303	కంచె పోరంబోకు	12.90	12.90
23	304-1	కంచె పోరంబోకు	5.98	5.98
24	304-3	కంచె పోరంబోకు	8.69	8.69
25	305-2	కంచె పోరంబోకు	13.46	13.46
26	307	కంచె పోరంబోకు	10.11	10.11
27	308	కంచె పోరంబోకు	9.86	9.86
28	309	కంచె పోరంబోకు	14.50	14.50
29	310	కంచె పోరంబోకు	9.75	9.75
30	311	కంచె పోరంబోకు	10.35	10.35
31	312	కంచె పోరంబోకు	12.98	12.98
		మొత్తం	313.71	313.71

సరిహద్దులు

స్టేషన్ నెం. (1) పానుగోడు గ్రామ (పానుగోడు చెరువు) సర్వే నెం. 231 యొక్క నైరుతీ మూలనుండి ప్రారంభమై క్రింది బేరింగులు మరియు దూరముల ననుసరించి పోవును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు		దూరము లింకులలో	రిమార్కులు
నుండి	వరకు	డిగ్రీలు	నిమిషాలు		
1	2	3	4	5	6
ఉత్తరం					
1	2	104	...	1362	సర్వే నెం. 231 దక్షిణం వెంబడి పొనుగోడు గ్రామము (పొనుగోడు చెరువు)
2	3	103	30	1977	
3	4	106	30	977	
4	5	100	30	1546	
5	6	108	30	925	
తూర్పు					
6	7	199	30	340	సర్వే నెం. 201 పడమర వైపు వెంబడి
7	8	139	30	382	సర్వే నెం. 201 దక్షిణం వైపు వెంబడి
8	9	120	30	40	సర్వే నెం. 200 దక్షిణం వైపు వెంబడి
9	10	202	...	399	సర్వే నెం. 199 పడమర వైపు వెంబడి
10	11	203	30	577	సర్వే నెం. 198 పడమర వైపు వెంబడి
11	12	264	...	550	సర్వే నెం. 306 ఉత్తరం వైపు వెంబడి
12	13	186	30	826	సర్వే నెం. 306 పడమర వైపు వెంబడి
13	14	281	30	299	సర్వే నెం. 306 ఉత్తరం వైపు వెంబడి
14	15	182	30	500	సర్వే నెం. 306 మరియు 305-1 పడమర వైపు వెంబడి
15	16	91	30	1793	సర్వే నెం. 305-1 దక్షిణం వైపు వెంబడి
16	17	184	30	743	సర్వే నెం. 60 పడమర వైపు వెంబడి

దక్షిణం					
17	18	271	30	470	పానుగోడు గ్రామ సర్వే నెం. 20 ఉత్తరం వైపు వెంబడి
18	19	194	30	186	
19	20	276	30	183	
20	21	292	30	592	సర్వే నెం. 27 ఉత్తరం వైపు వెంబడి
21	22	276	30	535	సర్వే నెం. 26 ఉత్తరం వైపు వెంబడి
22	23	277	30	1635	సర్వే నెం. 285 ఉత్తరం వైపు వెంబడి
23	24	194	30	606	సర్వే నెం. 285 పడమర వైపు వెంబడి
24	25	302		849	సర్వే నెం. 20 ఉత్తరం వైపు వెంబడి
25	26	215		934	
26	27	283		1114	సర్వే నెం. 11 ఉత్తరం వైపు వెంబడి
27	28	16		95	సర్వే నెం. 10 ఉత్తరం వైపు వెంబడి
28	29	292		2014	
29	30	9	15	579	సర్వే నెం. 3 తూర్పు వైపు వెంబడి
30	31	289		1089	సర్వే నెం. 3 మరియు 2 ఉత్తరం వైపు వెంబడి
పడమర					
31	32	349	145	పానుగోడు మరియు నల్లినగరం గ్రామ ఉమ్మడి సరిహద్దుల వెంబడి.
32	33	0	30	625	
33	34	20	30	860	
34	35	25	878	
35	36	25	30	376	
36	37	26	509	
37	1	32	30	848	

రిమార్కులు:

అనుమతించబడిన రైట్ ఆఫ్ వే / రైట్ ఆఫ్ వాటర్ కోర్సులు:

- 1) ఈ బ్లాకు నందు ఎలాంటి ఎన్క్లోజర్స్ అనుమతించ బడలేదు.
- 2) పానుగోడు గ్రామము నుండి అత్మకూరు - వింజమూరు రోడ్డును కలుపుతూ షుమారు 100 లింకుల వెడల్పుతో ఈ ప్రతిపాదిత బ్లాకు మధ్యలో పానుగోడు గ్రామమునకు వైరుతీ దిశగా వున్న స్టేషన్ నెం. 31, సర్వే నెం. 290 ద్వారా ప్రవేశించి స్టేషన్ నెం. 30 వైపు సర్వే నెం. 289/2 ద్వారా

పోవుచూ, తదుపరి సర్వే నెం. 300/2, 299/2, 301/2, 304/2 ద్వారా స్టేషన్ నెం. 15ను సమీపిస్తూ, తదుపరి సర్వే నెం. 305/2కు ఉత్తరం పైపున వున్న పొలాల ద్వారా స్టేషన్ నెం. 16ను సమీపించి పానుగోడు గ్రామ ప్రక్కన వున్న పొలాల వెంబడి పోవుచున్న మెటల్ రోడ్డును ప్రజోపయోగ నిమిత్తము అనుమతించడమైనది.

జానకి ఆర్. కొండపి,
ప్రభుత్వ ప్రత్యేక ప్రధాన కార్యదర్శి.

--X--